

Die Kleine unter den Großen in der Nasstrennung.

Die Kabelgranulieranlage 4W ist aufgrund ständiger Weiterentwicklung ein echter Hingucker. Mit einer Verarbeitungskapazität von 350 kg/h*, minimalen Metallverlusten, konstanten Durchsatzwerten und einer Reinheit höchster Güte überzeugt sie in jeder Hinsicht. Die teilbare Podestkonstruktion sorgt für ausreichend Flexibilität und allen voran Stabilität für einen ruhigen Lauf der Anlage. Auch diese Anlage wird mit vollautomatischem Vorzerkleinerer angeboten

*Wert bezieht sich auf Kabel mit Cu-Massivleiter; ca. 40 % Metallanteil; verarbeitbar mit einem 5 mm Siebeinsatz

The small among the big ones in the wet separation.


The cable granulation system 4W is a real eye-catcher due to constant further development. With a processing capacity of 350 kg/h*, minimal metal losses, constant throughput values and a purity of the highest quality, it convinces in every respect. The divisible platform construction ensures sufficient flexibility and, above all, stability for a smooth running of the system. This system is also offered with a fully automatic preshredder.

*Value refers to cables with solid copper conductors; approx. 40% metal content; processable with a 5 mm sieve insert

- Kapazität [kg/h]: 350
- [ម៉ា Installierte Leistung [kW]: 24,10
- | Gewicht [kg]: 3.100
 - Abmessungen LxBxH [mm]: 2.975 x 2.575 x 2.420

- Zweiteilige Podestkonstruktion
- Schallschutzeinhausung
- V-Schnitt
- Nasstrenntisch CS.3

- Platform solution
- Soundproof housing
- Wet separation table CS.3
- V-cut





fon. +49 (0)35754 739342 mail. info@icscontec.de web. www.icscontec.de



